

Kendriya Vidyalaya No 1, Air Force Station, Hindan, Ghaziabad

F.Qtn/KV1H/2023-23/

Dated: 03/01/2024

To  
M/s \_\_\_\_\_  
\_\_\_\_\_

**Sub:** Invitation for Quotations for supply of goods for use in the KVS for M&R Works Reg.

Sir/Madam,

The Kendriya Vidyalaya Sangathan, a centrally funded Autonomous Body, is a Society registered under Societies' Registration Act, 1860. The Sangathan administers the Scheme of Kendriya Vidyalayas set up for imparting education to the children of transferable Central Govt. Employees.

2. Sealed competitive quotations from the Registered Firms are invited by the undersigned on behalf of the Kendriya Vidyalaya Sangathan for supply of the following items:

| Sl.No. | Brief description of goods | Specifications | Quantity (approx) | Delivery period | Place of Delivery |
|--------|----------------------------|----------------|-------------------|-----------------|-------------------|
|        |                            |                |                   |                 |                   |
|        |                            |                |                   |                 |                   |
|        |                            |                |                   |                 |                   |
|        |                            |                |                   |                 |                   |
|        |                            |                |                   |                 |                   |

Where Bureau of Indian standards (BIS) certification marked goods are available in market, goods with those or equivalent marking only shall be offered

**3. Bid Price**

a. The contract shall be for the supply of the mentioned items to the KVS. The bidder shall quote for items in the format of quotation attached. Corrections, if any, shall be made by crossing out, initialing, dating and rewriting:

b. All duties, taxes and other levies payable by the bidder shall be included in the total price. However, the tax and duties leviable should be quoted separately.

- c. The rates quoted by the bidder shall be fixed for the duration of the contract (and shall be quoted in Indian Rupees only);
- d. The prices should be quoted in Indian Rupees only;
- e. Each bidder shall submit only one quotation;
- f. Telex or Facsimile quotations are not acceptable
- g. The bid should be submitted along with EMD for Rs. 5000/- by bank draft/Cheque in favour of **Principal, KV No 1, AFS, Hindan** ( MSME firms are exempted, please attach registration certificate)
- h. The firm should enclose supporting documents regarding registration of **GST & PAN**.

#### 4. Validity of quotations

The quotation shall remain valid for a period of one year i.e. upto 31/01/2025 or not less than 90 days after the deadline specified for submission of quotations.

#### 5. Evaluation of quotations.

The Purchaser will evaluate and compare. The quotations determined to be substantially responsive, i.e., which are:

- a) Properly signed, and
- b) Conform to the terms and conditions and specifications.

The evaluation would be done for all the items put together. The items for which no rates have been quoted would be treated as zero and the total amount would be computed accordingly. The bidder who has quoted for partial quantity of any one or more item(s) would be treated as non-responsive. Purchaser will award the contract to the responsive bidder whose total cost for all the items put together is the lowest.

#### 6. Award of Contract:

- (a) The purchaser will award the contract to the bidder whose quotation has been determine to be substantially responsive and who has offered the lowest price as per para 5 above;
- (b) The bidder whose bid is accepted will be notified of the award of the contract by the Office prior to expiration of the quotation validity period;
- c) The Notification of Award to clearly specify any change in the unit price or any other Terms and conditions accepted.
- (d) Normal commercial warranty/guarantee shall be applicable to the supplied goods;

*\*May be struck off in case of Registered Bidders.*

(e) Payment shall be made within 30 days after the delivery of goods and their acceptance;

(f) Notwithstanding the above, The Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract

(g) The successful bidder has to deposit performance security with the..... of the amount of Rs..... in favour of Principal, KV, No 1, AFS, Hindan in the form of DD/Cheque.

7. Last date and Time of receipt of quotations:

You are requested to submit the sealed quotations by **Speed/Registered Post** only. Super scribed on the envelope as Quotations for the supply of Goods/Equipments for the M & R Works due on 22/01/2024 latest by 12:00 PM The quotations shall be opened at 2:00 PM on the time on the same day. The bidders or their representatives who choose to be present at the time of opening of quotation are invited to do so.

The purchaser looks forward to receiving the quotation and appreciate the interest of the bidders in the KVS.

Yours faithfully,

Signature

Name:

Designation:

For and on behalf of the

Kendriya Vidyalaya Sangathan



**KENDRIYA VIDYALAYA NO.1 AFS HINDAN GHAZIABAD**  
**RATES FOR CIVIL WORK FOR THE SESSION 2023-24**  
**(INCLUSIVE ALL EXP., GST EXTRA, IF APPLICABLE)**



| SlNo | Description  | Unit | DSR No. | Rates | GST % | GST Amount | Total Amount |
|------|--|------|---------|-------|-------|------------|--------------|
| 1    | Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron Por S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:   |      | 17.1    |       |       |            |              |
| 2    | White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests  | each | 17.1.1  |       |       |            |              |
| 3    | Stainless Steel AISI-304(18/8) Orissa pattern W.C. pan of size 585x480 mm with flush pipe and integrated type foot rests   | each | 17.1.2  |       |       |            |              |
| 4    | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :  |      | 17.2    |       |       |            |              |
| 5    | W.C. pan with ISI marked white solid plastic seat and lid  | each | 17.2.1  |       |       |            |              |
| 6    | W.C. pan with ISI marked black solid plastic seat and lid  | each | 17.2.2  |       |       |            |              |
| 7    | Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : |      | 17.3    |       |       |            |              |
| 8    | W.C. pan with ISI marked white solid plastic seat and lid  | each | 17.3.1  |       |       |            |              |
| 9    | W.C. pan with ISI marked black solid plastic seat and lid  | each | 17.3.2  |       |       |            |              |
| 10   | Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :  |      | 17.4    |       |       |            |              |
| 11   | One urinal basin with 5 litre white P.V.C. automatic flushing cistern  | each | 17.4.1  |       |       |            |              |
| 12   | Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern  | each | 17.4.2  |       |       |            |              |
| 13   | Range of three urinal basins with 10litre white P.V.C. automatic flushing cistern  | each | 17.4.3  |       |       |            |              |
| 14   | Range of four urinal basins with 10 litre white P.V.C. automatic flushing cistern  | each | 17.4.4  |       |       |            |              |
| 15   | Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required :               |      | 17.5    |       |       |            |              |
| 16   | Single half stall urinal with 5 litre P.V.C. automatic flushing cistern  | each | 17.5.1  |       |       |            |              |
| 17   | Range of two half stall urinals with 5 litre P.V.C. automatic flushing cistern   | each |         |       |       |            |              |
| 18   | Range of three half stall urinals with 10 litre P.V.C. automatic flushing cistern  | each |         |       |       |            |              |
| 19   | Range of four half stall urinals with 10 litre P.V.C. automatic flushing cistern   | each |         |       |       |            |              |



|    |   |       |        |  |  |  |  |
|----|---|-------|--------|--|--|--|--|
| 42 | Repairing chawkhat in existing opening in brick wall with dash fasteners. Chemical fasteners of appropriate size (3 nos on each vertical member of door chawkhat and 2 nos on each vertical member of window chawkhat) including cost of dash fasteners, chemical fastener. | each  | 14.3   |  |  |  |  |
| 43 | Blanking the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jamb complete. To match existing surface i/c disposal of mulbar rubbish to the nearest municipal dumping ground.        |       | 14.4   |  |  |  |  |
| 44 | For door window elevation window  | sqm   | 14.5   |  |  |  |  |
| 45 | Renewing glass panes with putty and nails whenever necessary including racking out the old putty.   |       | 14.5.1 |  |  |  |  |
| 46 | Floor glass panes of thickness 4 mm   | sqm   | 14.5.2 |  |  |  |  |
| 47 | Floor glass panes of thickness 5.5 mm   | sqm   |        |  |  |  |  |
| 48 | Renewing glass panes with wooden fillers whenever necessary.  |       | 14.6   |  |  |  |  |
| 49 | Floor glass panes of thickness 4 mm   | sqm   | 14.6.1 |  |  |  |  |
| 50 | Floor glass panes of thickness 5.5 mm   | sqm   | 14.6.2 |  |  |  |  |
| 51 | Renewing glass panes and re-fixing existing wooden fillers.   |       | 14.7   |  |  |  |  |
| 52 | Floor glass panes of thickness 4 mm   | sqm   | 14.7.1 |  |  |  |  |
| 53 | Floor glass panes of thickness 5.5 mm   | sqm   | 17.7.2 |  |  |  |  |
| 54 | Supplying and fixing new wooden fillers whenever necessary.   |       | 14.8   |  |  |  |  |
| 55 | One glass teak wood fillers   | metre | 14.8.1 |  |  |  |  |
| 56 | Hollock wood fillers  | metre | 14.8.2 |  |  |  |  |
| 57 | Renewal of old putty of glass panes (length)  | metre | 14.9   |  |  |  |  |
| 58 | Re-fixing old glass panes with putty and nails  | sqm   | 14.1   |  |  |  |  |
| 59 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level.   |       | 4.1    |  |  |  |  |
| 60 | 1:1.2 (1 Cement : 1 coarse sand : 2 graded stone aggregate 20 mm nominal size)  | cum   | 4.1.1  |  |  |  |  |
| 61 | 1:1.3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)  | cum   | 4.1.2  |  |  |  |  |
| 62 | 1:2.4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)  | cum   | 4.1.3  |  |  |  |  |
| 63 | 1:2.4 (1 Cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.4  |  |  |  |  |
| 64 | 1:3.6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)  | cum   | 4.1.5  |  |  |  |  |
| 65 | 1:3.6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.6  |  |  |  |  |
| 66 | 1:3.6 (1 Cement : 3 fine sand : 6 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.7  |  |  |  |  |
| 67 | 1:4.8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.8  |  |  |  |  |
| 68 | 1:4.8 (1 cement : 4 fine sand : 8 graded stone aggregate 40 mm nominal size)  | cum   | 1.1.9  |  |  |  |  |
| 69 | 1:5.10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.10 |  |  |  |  |
| 70 | 1:5.10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.11 |  |  |  |  |
| 71 | 1:2.3:9 (1 ordinary portland cement : 2 Fly ash : 3 coarse sand : 9 graded stone aggregate 40 mm nominal size)  | cum   | 4.1.12 |  |  |  |  |
| 72 | 1:2.4:11 (1 ordinary portland cement : 2 fly ash : 4 coarse sand : 11 graded stone aggregate 40 mm nominal size)  | cum   | 1.1.13 |  |  |  |  |





|     |  |     |         |  |  |  |
|-----|--|-----|---------|--|--|--|
| 73  | Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing |     | 4.2     |  |  |  |
| 74  | 1:1.2 (1 cement : 1 coarse sand : 2 graded stone aggregate 20 mm nominal size)   | cum | 4.2.1   |  |  |  |
| 75  | 1:1½ 3 (1 cement 1½ coarse sand 3 graded stone aggregate 20 mm nominal size)   | cum | 4.2.2   |  |  |  |
| 76  | 1:2.4 (1 Cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)   | cum | 4.2.3   |  |  |  |
| 77  | 1:2.4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)   | cum | 4.2.4   |  |  |  |
| 78  | Extra for pointing on walls on the outside at height more than 10 m from ground level for every additional height of 3 m or part there of  | sqm | 13.36   |  |  |  |
| 79  | White washing with lime to give an even shade :  |     | 13.37   |  |  |  |
| 80  | New work (three or more coats)   | sqm | 13.37.1 |  |  |  |
| 81  | Satra lime wash on walls with one coat.  | sqm | 13.38   |  |  |  |
| 82  | Colour washing such as green, blue or buff to give an even shade :   |     | 13.39   |  |  |  |
| 83  | New work (two or more coats) with a base coat of white washing with lime   | sqm | 13.39.1 |  |  |  |
| 84  | New work (two or more coats) with a base coat of whitening   | sqm | 13.39.2 |  |  |  |
| 85  | Distemping with dry distemper of approved brand and manufacture (two or more coats) of required shade on new work, over and including water thinnable priming coat to give an even shade.  | sqm | 13.4    |  |  |  |
| 86  | Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade :   |     | 13.41   |  |  |  |
| 87  | New work (two or more coats) over and including water thinnable priming coat with cement primer  | sqm | 13.41.1 |  |  |  |
| 88  | Distemping with 1st quality acrylic distemper (ready mixed) of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.  |     | 13.42   |  |  |  |
| 89  | Two or more coats on new work  | sqm | 13.42.1 |  |  |  |
| 90  | Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :   |     | 13.43   |  |  |  |
| 91  | Water thinnable cement primer  | sqm | 13.43.1 |  |  |  |
| 92  | Finishing walls with water proofing cement paint of required shade :   |     | 13.44   |  |  |  |
| 93  | New work (Two or more coats applied @ 3.84 kg/10 sqm)  | sqm | 13.44.1 |  |  |  |
| 94  | Finishing walls with textured exterior paint of required shade :   |     | 13.45   |  |  |  |
| 95  | New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including priming coat of exterior primer applied @ 2.20kg/10 sqm  | sqm | 13.45.1 |  |  |  |
| 96  | Finishing walls with Acrylic Smooth exterior paint of required shade :   |     | 13.46   |  |  |  |
| 97  | New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)  | sqm | 13.46.1 |  |  |  |
| 98  | Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:  |     | 13.47   |  |  |  |
| 99  | New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)   | sqm | 13.47.1 |  |  |  |
| 100 | Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications:   |     | 13.48   |  |  |  |



|     |   |       |         |  |  |  |
|-----|---|-------|---------|--|--|--|
| 101 | Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement : 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.  | sqm   | 11.27   |  |  |  |
| 102 | 40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand) with joints finished flush.   |       | 11.28   |  |  |  |
| 103 | Red sand stone  | sqm   | 11.28.1 |  |  |  |
| 104 | White sand stone  | sqm   | 11.28.2 |  |  |  |
| 105 | 40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone.  |       | 11.29   |  |  |  |
| 106 | Red sand stone  | sqm   | 11.29.1 |  |  |  |
| 107 | White sand stone  | sqm   | 11.29.2 |  |  |  |
| 108 | 40 mm thick rubbed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand) with joints 3 mm thick, side buttered with cement mortar 1:2 (1 cement : 2 stone dust) admixed with pigment to match the shade of stone and pointing with same mortar.  |       | 11.3    |  |  |  |
| 109 | Red sand stone  | sqm   | 11.30.1 |  |  |  |
| 110 | White sand stone  | sqm   | 11.30.2 |  |  |  |
| 111 | Extra for pre finished nosing in treads of steps of Kota stone/ sand stone slab.  | metre | 11.31   |  |  |  |
| 112 | Extra for Kota stone/ sand stone in treads of steps and risers using single length up to 1.05 metre.  | sqm   | 11.32   |  |  |  |
| 113 | 25 mm wooden planking, tongued and grooved in flooring, including fixing with iron screws complete with :   |       | 11.33   |  |  |  |
| 114 | Second class teak wood  | sqm   | 11.33.1 |  |  |  |
| 115 | Second class deodar wood  | sqm   | 11.33.2 |  |  |  |
| 116 | 38 mm thick wood block flooring of first class teak wood laid over 25 mm thick leveling layer of cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 10 mm nominal size) to be paid separately, coated with a thin layer of hot bitumen penetration 80/25 (blown type) @ 2.45 kg per sqm, including fixing blocks in position after dipping in hot bitumen (blown type) up to half depth, planed, levelled smooth and finished complete.   | sqm   | 11.34   |  |  |  |
| 117 | Providing and fixing M.S. angle 50x50x5 mm to act as nosing with lugs of M.S. flat 10x5 mm, 10 cm long, forked at end 60cm apart (minimum three lugs to be provided), including necessary welding and applying a priming coat of approved primer on exposed surface etc. complete.  | kg    | 11.35   |  |  |  |
| 118 | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | sqm   | 11.36   |  |  |  |
| 119 | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc. complete.  | sqm   | 11.37   |  |  |  |



|     |   |       |         |  |  |  |  |
|-----|---|-------|---------|--|--|--|--|
| 120 | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), including painting the joints with white cement and matching pigments etc., complete | sqm   | 11.38   |  |  |  |  |
| 121 | Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :   |       | 13.53   |  |  |  |  |
| 122 | Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.75 ltr/10 sqm of approved brand and manufacture   | sqm   | 13.48.2 |  |  |  |  |
| 123 | Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture  | sqm   | 13.48.3 |  |  |  |  |
| 124 | Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall  |       | 18.10   |  |  |  |  |
| 125 | 15 mm dia nominal bore  | metre | 18.10.1 |  |  |  |  |
| 126 | 20 mm dia nominal bore  | metre | 18.10.2 |  |  |  |  |
| 127 | Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :   |       | 18.11   |  |  |  |  |
| 128 | 15 mm dia nominal bore  | metre | 18.11.1 |  |  |  |  |
| 129 | 20 mm dia nominal bore  | metre | 18.11.2 |  |  |  |  |

All columns should be filled (either amount or 00 ), photocopies of PAN, GST must be attached with this quotation (mandatory), otherwise bid shall be deemed incomplete and liable to be rejected.

We agree to supply the above goods in accordance with the specifications for the above mention unit, price shown against the item(s)-for which quotations have been submitted within the period specified in the invitation for quotation

Signature  
Prop/partner

Name:  
Date:  
GST NO.  
PAN  
Contact No.  
Rubber Seal of the firm



# KENDRIYA VIDYALAYA NO.1 AFS HINDAN GHAZIABAD

## List of Hardware/Sanitation/Plumbing Items - 2023-2024

(INCLUSIVE ALL EXP., GST EXTRA, IF APPLICABLE)



| S. No. | Name of Items                                | Specifications | Rate per Unit | GST | Total Amount |
|--------|--|----------------|---------------|-----|--------------|
| 1.     | Water Tank per litre                         | ISI            |               |     |              |
| 2.     | Bib Cock Brass                               | ISI            |               |     |              |
| 3.     | Push Cock Iron                               | ISI            |               |     |              |
| 4.     | Push Cock Plastic                            | ISI            |               |     |              |
| 5.     | GI Pipe Length $\frac{1}{2}$ " Per/m B Grade | ISI            |               |     |              |
| 6.     | GI Pipe Length $\frac{3}{4}$ " Per/m B Grade | ISI            |               |     |              |
| 7.     | GI Pipe Length 1" Per/m B Grade              | ISI            |               |     |              |
| 8.     | GI Pipe Length 2 " Per/m B Grade             | ISI            |               |     |              |
| 9.     | Western Style Toilet seat                    | ISI            |               |     |              |
| 10.    | Indian Style Toilet seat                     | ISI            |               |     |              |
| 11.    | Ball Cock $\frac{1}{2}$ "                    | ISI            |               |     |              |
| 12.    | Ball Cock $\frac{3}{4}$ "                    | ISI            |               |     |              |
| 13.    | Ball Cock 1"                                 | ISI            |               |     |              |
| 14.    | Gate Valve $\frac{1}{2}$ "                   | ISI            |               |     |              |
| 15.    | Gate Valve $\frac{3}{4}$ "                   | ISI            |               |     |              |
| 16.    | Gate Valve 1"                                | ISI            |               |     |              |
| 17.    | Gate Valve 4"                                | ISI            |               |     |              |
| 18.    | Long Body Bib Cock (Steel)                   | ISI            |               |     |              |
| 19.    | Elbow $\frac{1}{2}$ "                        | ISI            |               |     |              |
| 20.    | Elbow $\frac{3}{4}$ "                        | ISI            |               |     |              |
| 21.    | Elbow 1"                                     | ISI            |               |     |              |
| 22.    | Elbow 2"                                     | ISI            |               |     |              |
| 23.    | Elbow 4"                                     | ISI            |               |     |              |
| 24.    | Socket $\frac{1}{2}$ "                       | ISI            |               |     |              |
| 25.    | Socket $\frac{3}{4}$ "                       | ISI            |               |     |              |
| 26.    | Socket 1"                                    | ISI            |               |     |              |
| 27.    | Socket 2"                                    | ISI            |               |     |              |
| 28.    | Socket 4"                                    | ISI            |               |     |              |
| 29.    | T $\frac{1}{2}$ "                            | ISI            |               |     |              |
| 30.    | T $\frac{3}{4}$ "                            | ISI            |               |     |              |
| 31.    | T 1"   | ISI            |               |     |              |
| 32.    | T 2"   | ISI            |               |     |              |
| 33.    | Union $\frac{1}{2}$ "                        | ISI            |               |     |              |
| 34.    | Union 3/4"                                   | ISI            |               |     |              |
| 35.    | Union 1"                                     | ISI            |               |     |              |
| 36.    | Union 2"                                     | ISI            |               |     |              |
| 37.    | Tank Cover                                   | ISI            |               |     |              |
| 38.    | PVC pipe 1"                                  | ISI            |               |     |              |
| 39.    | PVC pipe 2"                                  | ISI            |               |     |              |
| 40.    | PVC pipe 4"                                  | ISI            |               |     |              |

|     |   |     |  |  |  |
|-----|---|-----|--|--|--|
| 41. | Elbow PVC 1"  | ISI |  |  |  |
| 42. | Elbow PVC 2"  | ISI |  |  |  |
| 43. | Elbow PVC 4"  | ISI |  |  |  |
| 44. | PVC T 1"  | ISI |  |  |  |
| 45. | PVC T 2"  | ISI |  |  |  |
| 46. | PVC T 4"  | ISI |  |  |  |
| 47. | Cistern Set ISI   | ISI |  |  |  |
| 48. | PVC Connection  | ISI |  |  |  |
| 49. | Angle Wall Steel  | ISI |  |  |  |
| 50. | Jet Spray   | ISI |  |  |  |
| 51. | Waste Jalli Steel 1"                                    | ISI |  |  |  |
| 52. | Waste Jalli Steel 1 ½ "                                 | ISI |  |  |  |
| 53. | Waste Jalli Steel 2"                                    | ISI |  |  |  |
| 54. | Waste pipe Per metre                                    | ISI |  |  |  |
| 55. | Mono Block Pump 1 HP                                    | ISI |  |  |  |
| 56. | Mono Block Pump 1/2 Hp                                  | ISI |  |  |  |
| 57. | Mono Block Pump 10 HP                                   | ISI |  |  |  |
| 58. | Ball Wall (ISI mark)<br>½ "<br>¾ "<br>1"                | ISI |  |  |  |
| 59. | Short body Bib cock                                     | ISI |  |  |  |
| 60. | Water Tank (Sintax)<br>500 ltr.<br>1000 ltr.            | ISI |  |  |  |
| 61. | Gate valve<br>½ "<br>¾ "<br>1"                          | ISI |  |  |  |
| 62. | Mirror (for use in bathrooms)<br>1.5' X 2'<br>2' x 2.5' | ISI |  |  |  |
| 63. | Water tap Steel (Long body)                             |     |  |  |  |

All columns should be filled (either amount or 00 ), photocopies of PAN, GST must be attached with this quotation (mandatory), otherwise bid shall be deemed incomplete and liable to be rejected.

We agree to supply the above goods in accordance with the specifications for the above mention unit, price shown against the item(s) for which quotations have been submitted within the period specified in the invitation for quotation

Signature  
Prop/partner  
Name:  
Date:  
GST NO.  
PAN  
Contact No.



# KENDRIYA VIDYALAYA NO.1 AFS HINDAN GHAZIABAD

List of Electrical & Electronic& Hardwar Items - 2023-2024

(INCLUSIVE ALL EXP., GST EXTRA, IF APPLICABLE)

| SI. No. | Name of article with full description   | Specifications | Rate per Unit | GST | Total amount |
|---------|---|----------------|---------------|-----|--------------|
| 1.      | LED Tube Light 20 W                     | Surya          |               |     |              |
| 2.      | Chock electronic                        | ISI            |               |     |              |
| 3.      | Switch Ordinary<br>5 Amp<br>15 Amp      | ISI            |               |     |              |
| 4.      | Socket Ordinary<br>5 Amp<br>15 Amp      | ISI            |               |     |              |
| 5.      | Switch Modular<br>5 Amp<br>15 Amp       | ISI            |               |     |              |
| 6.      | Socket Modular<br>5 Amp<br>15 Amp       | ISI            |               |     |              |
| 7.      | MCB DP 32 Amp                           | ISI            |               |     |              |
| 8.      | MCB DP 63 Amp                           | ISI            |               |     |              |
| 9.      | Four pole 63 Amp Isolator               | ISI            |               |     |              |
| 10.     | Three phase main switch 63 Amp          | ISI            |               |     |              |
| 11.     | Three phase main switch 100 Amp         | ISI            |               |     |              |
| 12.     | Three phase main switch 200 Amp         | ISI            |               |     |              |
| 13.     | Tube 575 Side Holder                    | ISI            |               |     |              |
| 14.     | Tube set LED                            | ISI            |               |     |              |
| 15.     | Wire 1 mm coil                          | ISI            |               |     |              |
| 16.     | Wire 1.5 mm coil                        | ISI            |               |     |              |
| 17.     | Wire 2.5 mm coil                        | ISI            |               |     |              |
| 18.     | Wire 4 mm coil                          | ISI            |               |     |              |
| 19.     | Wire<br>6mmcoil<br>8mm coil<br>16mmcoil | ISI            |               |     |              |
| 20.     | MCCB 63 Amps .3 pole                    | Havells        |               |     |              |
| 21.     | MCCB 100 Amps .3pole                    | Havells        |               |     |              |
| 22.     | MCCB 125 Amps .3 pole                   | Havells        |               |     |              |
| 23.     | MCCB 200 Amps .3 pole                   | Havells        |               |     |              |
| 24.     | MCCB 250 Amps .3 pole                   | Havells        |               |     |              |
| 25.     | PVC Pipe 1"                             | ISI            |               |     |              |
| 26.     | Insulation PVC Tape                     | ISI            |               |     |              |

|     |  |                       |  |  |  |
|-----|--|-----------------------|--|--|--|
| 27. | Plug top 3 pin 6 Amp                               | ISI                   |  |  |  |
| 28. | Plug top 3 pin 16 Amp                              | ISI                   |  |  |  |
| 29. | Combined with box 16 amp                           | ISI                   |  |  |  |
| 30. | Ceiling Fan 48"<br>Ceiling Fan 54"                 | ISI                   |  |  |  |
| 31. | Wall Fan 12"<br>Wall Fan 16"                       | ISI                   |  |  |  |
| 32. | Fan capacitor 3.15 MFD                             | ISI                   |  |  |  |
| 33. | Ceiling Fan Blade                                  | ISI                   |  |  |  |
| 34. | Exhaust Fan 12"                                    | ISI                   |  |  |  |
| 30. | Exhaust Fan 15"                                    | ISI                   |  |  |  |
| 31. | Exhaust Fan 18"                                    | ISI                   |  |  |  |
| 32. | MCB6 Amp Single Pole<br>10 Amp<br>20 Amp<br>40 Amp | Havells               |  |  |  |
| 33. | Batten 1"<br>$\frac{3}{4}$ "<br>$\frac{1}{2}$ " 10 | ISI                   |  |  |  |
| 34. | Flexible Pipe                                      | ISI                   |  |  |  |
| 35. | Hot Case   | ISI                   |  |  |  |
| 36. | Invertor Battery<br>36 Months Warranty             | Exide 150 AH          |  |  |  |
| 37. | Nails  | ---                   |  |  |  |
| 38. | PVC Gitti  | ---                   |  |  |  |
| 39. | Cable Clamp  | ---                   |  |  |  |
| 40. | Holder batton                                      | ISI                   |  |  |  |
| 41. | Batton Nails                                       | ---                   |  |  |  |
| 42. | Tape Roll  | ISI                   |  |  |  |
| 43. | Steel wire   | ---                   |  |  |  |
| 44. | Stabilizer 140-220v                                | Bluebird/ Sky<br>bird |  |  |  |

All columns should be filled (either amount or 00 ), photocopies of PAN, GST must be attached with this quotation (mandatory), otherwise bid shall be deemed incomplete and liable to be rejected.

We agree to supply the above goods in accordance with the specifacations for the above mention unit, price shown against the item(s) for which quotations have been submitted within the period specified in the invitation for quotation

Signature  
Prop/partner  
Name:  
Date:  
GST NO.  
PAN  
Contact No.

